

## Table of contents

### *Preface*

### *Organization*

### *1 Testing and materials*

Recommendations for the application of geosynthetics in a railway network modernisation project in Slovakia	3
<i>R. Baslik, M. Matys &amp; L. Turinic</i>	
Clay-cement mix with reinforcing fibres for diaphragm walls	7
<i>A. Brinkmann, M. Benz, F. Bucher &amp; P. Amann</i>	
Design and development of inclined plane test on geosynthetics	13
<i>A. Cancelli, P. Rimoldi, A. Moroni &amp; A. Poltronieri</i>	
Grout injection in the laboratory	21
<i>C. Dano &amp; N. Derache</i>	
A research on the tensile resistance of wired rope anchor	27
<i>H. Fujimura &amp; Y. Taniguchi</i>	
Experimental evaluation of the factors affecting pull-out test results on geogrids	31
<i>V.N. Ghionna, N. Moraci &amp; P. Rimoldi</i>	
Residual strength and its application to design of reinforced soil in seismic areas	37
<i>J.H. Greenwood, C.J.F.P. Jones &amp; F. Tatsuoka</i>	
Safe and economical soil reinforcement using a new style geogrid	43
<i>G. Heerten, R. Floss &amp; G. Bräu</i>	
Installation survivability of flexible geogrids as earth reinforcement materials	49
<i>C. Hsieh &amp; C.K. Lin</i>	
Effects of geogrid properties on pullout resistance	55
<i>J. Izawa, Y. Ishihama, J. Kuwano, A. Takahashi &amp; H. Kimura</i>	
Geotechnical behavior of fiber reinforced fly ash	61
<i>S.R. Kaniraj &amp; V. Gayathri</i>	
Partial factors for geosynthetics specific to limit state approach	67
<i>A.J. Khan</i>	

Mechanical properties in short-fiber mixture stabilized volcanic cohesive soil <i>M. Kudo, H. Ochiai &amp; K. Omine</i>	73
Progressive pullout failure of geosynthetic reinforcement <i>J. Mak &amp; S-C.R. Lo</i>	77
Strain-induced toughness and shearing characteristics of short-fiber reinforced soils <i>K. Makiuchi &amp; K. Minegishi</i>	83
Modelling the behaviour of geosynthetic reinforcements used to resist combined sustained and shock loading <i>J. Kupec &amp; A. McGown</i>	89
Testing related to the introduction of a new geogrid with welded flat bars for use as a soil reinforcement <i>G. Heerten, E. Reuter, A. McGown &amp; J. Kupec</i>	95
Prediction of failure stress of reinforced residual soil by simplified approach <i>S.A. Mofiz &amp; M.R. Taha</i>	101
Effect of connection bar stiffness on failure strength of connected steel grid reinforcements <i>Y. Nabeshima, S.G. Zhou, T. Matsui &amp; N. Sakata</i>	107
Improvement effect of composite geomaterial by utilization of plastic wastes <i>K. Omine, H. Ochiai, N. Yasufuku, M. Yamamoto &amp; Y. Inoue</i>	111
Visualization of interaction behavior between soil and reinforcement using X-ray CT <i>J. Otani, T. Hirai, K. Miyamoto &amp; T. Mukunoki</i>	117
Laboratory testing of long-term performance of clay-geogrid interaction <i>A. Pamuk, D. Leshchinsky, V.N. Kaliakin &amp; H.I. Ling</i>	121
Strength behaviour of lateritic soils randomly reinforced with jute fibre <i>B.R. Phani Kumar &amp; M.V.B. Ramana Sastry</i>	127
Studies on geotextile/ soil interface shear behavior <i>M. Salehi</i>	131
Discussion of safety from a study of the creep rupture of polyester <i>P. Segresin &amp; P. Orsat</i>	135
Modelling of reinforced unpaved composite material using HISS model <i>K.G. Sharma, K.K. Gupta &amp; P. Aggarwal</i>	141
Construction and monitoring of geotubes <i>E.C. Shin, Y.I. Oh, B.M. Das &amp; E.S. Lee</i>	147
Modelling and instrumentation considerations of a geogrid <i>B.V.S. Viswanadham</i>	153
Variation in creep rate at constant loading of PET geogrid strapping <i>W. Voskamp &amp; F. van Vliet</i>	159
Residual strength of PET after more than 12 years creep loading <i>W. Voskamp, F. van Vliet &amp; J. Retzlaff</i>	165
Static and dynamic strength of cement mixed soil reinforced by fibers <i>S. Yasuda, H. Ishinabe &amp; Y. Murasawa</i>	171
Practical experience in small scale pullout tests <i>H. Zanzinger, E. Gartung &amp; G.L. Sivakumar Babu</i>	177
 <b>2 Embankments</b>	
Railroads on piled embankments in Germany: Milestone projects <i>D. Alexiew &amp; W. Vogel</i>	185

Final design of an overbridging for railways endangered by cavities at Groebers <i>W. Ast, J. Sobolewski &amp; J. Haberland</i>	191
A 12-m high geosynthetic-reinforced residual soil slope <i>S.H. Chew, G.P. Karunaratne, S.A. Tan, Y.T. Seah, C.T. Ho, S.K. Lim, W.H. Ho, K.Q. Ho &amp; J. Wei</i>	197
Use of inclined test to assess stress mobilization of liner on slope <i>J.P. Gourc, P. Villard, R.R. Ramirez, N. Feki, L. Briançon &amp; H. Girard</i>	201
Performance of geotextile reinforced slopes subjected to seepage flow <i>A. Hiro-oka, M. Kobayashi, H. Nagase, K. Shimizu &amp; H. Fujiwara</i>	207
Drainage effect of geosynthetics in high and very wet embankment <i>S. Ito, Y. Yokota, M. Inagaki, A. Morikage, Y. Kumagai &amp; K. Kawamura</i>	213
A full-scale field trial of electrokinetically enhanced cohesive reinforced soil using electrically conductive geosynthetics <i>C.J.F.P. Jones &amp; R.C. Pugh</i>	219
High embankment of clay reinforced by GHD and its utilities <i>M. Kamon, T. Akai, A. Matsumoto, S. Suwa, M. Fukuda, T. Simonodan, S. Yanagihara, Y. Nambu, K. Iwata &amp; M. Matsushita</i>	225
Tension in geosynthetic liner based on hyperbolic interface response <i>K.V.S. Krishna Prasad, M.R. Madhav, J. Kodikara &amp; M. Bouazza</i>	231
Trial construction of arching structure by using large-sized soilbags <i>T. Kubo, Y. Yokota, S. Ito, L. Sihong &amp; H. Matsuoka</i>	235
Study on the critical height of fiber-reinforced slope by centrifuge test <i>G.X. Li, Y.X. Jie &amp; G.Z. Jie</i>	239
Response of geosynthetic reinforcement to transverse force <i>M.R. Madhav, H.B. Poorooshasb &amp; N. Miura</i>	243
Model experiment and analysis of sandwich earth fill reinforced with geosynthetics <i>H. Nagashima, Y. Tanabashi, H. I, N. Fujise &amp; H. Nakahara</i>	247
Reinforcing function of a liner system by geotextile and geogrid <i>S. Nakamura, S. Imaizumi &amp; K. Kuzumaki</i>	253
The design of steep slopes constructed from cohesive fills and a geogrid <i>P.J. Naughton, R.A. Jewell &amp; G.T. Kempton</i>	259
Numerical analysis of reinforced embankments on soft soils <i>C.T. Sa, E.M. Palmeira, L.M.A. Dellabianca &amp; A.R.S. Fahel</i>	265
Trial construction of the reinforced river dike and its performance <i>K. Sawada, A. Yashima, Y. Sato, Y. Fujita, H. Maeda, N. Matsumoto &amp; A. Hazama</i>	271
Analysis of reinforced slopes and walls using horizontal slice method <i>M. Shahgholi, A. Fakher &amp; C.J.F.P. Jones</i>	277
Geogrid-reinforced road embankment over an old dump <i>G. Stolarski &amp; E. Gartung</i>	281
Loading test of earth flow prevention embankment reinforced with geosynthetics <i>N. Tatta, Y. Yokota, S. Ito, T. Kubo &amp; K. Arai</i>	287
Deformation analysis of PLPS GRS bridge pier during construction and in service <i>T. Uchimura, M. Shinoda, M.S.A. Siddiquee &amp; F. Tatsuoka</i>	293
A diagrammatic evaluation of geo-composites for reinforcing cohesive soils <i>K. Yasuhara, S. Murakami, C. Ghosh &amp; J.R. Molina</i>	299
Design of geosynthetic-reinforced veneer slopes <i>J.G. Zornberg, S. Somasundaram &amp; L. LaFountain</i>	305

### 3 Wall structures

The performance of buried galvanized steel earth reinforcements after 20 years in service <i>P.L. Anderson &amp; J. Sankey</i>	313
Performance of Mechanically Stabilized Earth walls over compressible soils <i>R.A. Bloomfield, A.F. Soliman &amp; A. Abraham</i>	317
Flexible facing systems for reinforced soil wall structures – characteristics and performance <i>M. Boyd &amp; P. Segrestin</i>	323
Shaking table and numerical modelling of reinforced soil walls <i>M.M. El-Emam, R.J. Bathurst, K. Hatami &amp; M.M. Mashhour</i>	329
Reinforced earth ramps over flexible inclusions in Beirut <i>J.B. Esta</i>	335
Construction of a geogrid -reinforced earth-wall inside a ware-house <i>F. Viel</i>	341
Bench-type wall with flat slabs and steel bars <i>M. Fukuoka, K. Kondo, H. Kawahara, R. Ito &amp; K. Misawa</i>	345
Dynamic behavior of multi-anchored reinforced soil wall in large-scale shear box <i>M. Futaki, N. Aoyama, K. Misawa, T. Konami, M. Sato, T. Tatsui &amp; K. Mikami</i>	351
Stability test of the multi-anchored reinforced soil wall constructed on soft ground <i>H. Hashimoto, N. Aoyama, H. Miyatake &amp; M. Hirasawa</i>	359
Dimension analysis on reinforced soil walls by finite element method <i>G. Huang, X. Yu &amp; C. Yang</i>	363
Analyses of a near-fault geosynthetic-reinforced modular block wall damaged during the 1999 Chi-Chi earthquake <i>C.C. Huang, L.H. Chou &amp; Y.H. Chen</i>	369
A contribution to the design of flexible wire mesh facing <i>J.-M. Jailloux, N. Freitag &amp; P. Segrestin</i>	375
A field instrumentation and FEM analysis for an isolated-reinforced earth wall <i>Y.Y. Kim, K.J. Han &amp; K.M. Kim</i>	381
Limit analysis of soil structures subjected to constraints by reinforcement <i>S. Kobayashi, A. Tanaka &amp; T. Tamura</i>	387
Seismic earth pressures acting on reinforced-soil and conventional type retaining walls <i>J. Koseki, K. Watanabe, M. Tateyama &amp; K. Kojima</i>	393
Influence of reinforcement's inclination on bearing capacity of RS wall <i>M. Kulczykowski</i>	399
Effect of facing and construction sequence on the stability of reinforced soil wall <i>Y. Lim, J. Jung, Y. Park &amp; Y. Suh</i>	405
Interface friction coefficient of extensible reinforcement and its influence on designing of retaining structures <i>P. Michalski &amp; K.M. Skarżyńska</i>	411
Reliability analysis of geosynthetics reinforced soil wall <i>Y. Miyata, S. Shigehisa &amp; K. Kogure</i>	417
Experimental research of reinforced soil wall for rock-fall protection <i>T. Nomura, S. Inoue, M. Fuchigami, Y. Obata, Y. Yokota, T. Kubo &amp; K. Arai</i>	421
Numerical analysis of a sheet pile mooring wharf having several tie rods <i>S. Ohmaki, K. Saeki &amp; M. Kiyozumi</i>	425

Relation between wall displacement and reinforcement for reinforced retaining wall <i>K. Okabayashi, K. Tagaya &amp; M. Kawamura</i>	429
A fully synthetic connection of polyester based strip reinforcement to concrete panels. Development, tests and first application <i>P. Orsat &amp; N. Freitag</i>	433
Mechanical behaviour of soil reinforced by geocells <i>N. Racana, R. Gourvès &amp; M. Grédiac</i>	437
An analytical approach to compute design loads of reinforced earth embankments <i>M.V. Ratnam &amp; M.B. Rao</i>	443
Evaluation of seismic performance in Mechanically Stabilized Earth structures <i>J.E. Sankey &amp; P. Segrestin</i>	449
Use of a 1g geogrid reinforced-wall model to evaluate the effectiveness of a FE numerical code <i>M. Schiavo, P. Simonini, G. Gottardi &amp; L. Tonni</i>	453
Seismic stability of preloaded and prestressed reinforced soil structure against strong shaking <i>M. Shinoda, T. Uchimura, F. Tatsuoka, M. Tateyama &amp; T. Natsuki</i>	459
Seismic behaviour of earth reinforcement walls <i>R.A. Sofronie, C.A. Taylor &amp; F. Iosif</i>	465
Numerical analysis of soil nailed retaining wall <i>B.R. Srinivasa Murthy, G.L. Sivakumar Babu &amp; A. Srinivas</i>	473
Ultra-high hybrid wire and concrete-faced Mechanically Stabilized Earth bridge abutments <i>K.M. Truong, M.J. Berkebile &amp; R.A. Gladstone</i>	477
Combined reinforcement by means of EPS blocks and geogrids for retaining wall structures <i>Y. Tsukamoto, K. Ishihara, H. Nakazawa, H. Kon, T. Masuo &amp; K. Hara</i>	483
Irregular shaking table tests on seismic stability of reinforced-soil retaining walls <i>K. Watanabe, M. Tateyama, K. Kojima &amp; J. Koseki</i>	489
Issues in the use of clay in reinforced earth construction <i>L.D. Wesley</i>	495
Evaluation of confining effect in geogrid-reinforced retaining wall based on two dimensional model test <i>N. Yasufuku, H. Ochiai, Y. Ninomiya, K. Omine, M. Nakashima &amp; T. Kawamura</i>	501
Applicability of an elasto-plastic model for reinforced soil structures <i>T. Yoshida, K. Mori, A. Iizuka, F. Maegawa &amp; S. Amano</i>	507
 <b>4 Foundations</b>	
The settlements of a continuous foundation footing resting on the geogrid-reinforced sand layer <i>J. Adamczyk &amp; T. Adamczyk</i>	513
Field investigations on a soft ground of Bangladesh reinforced by granular piles <i>M. Alamgir &amp; S.M. Zaher</i>	517
Bearing capacity considering stiffness of reinforcement material <i>K. Arai, M. Kamon, S. Nomura &amp; Y. Yokota</i>	523
Reinforcement of soft sub-grade for high-speed railroads using geocell <i>S.D. Cho, J.M. Kim, M. Chung, S.H. Yoon &amp; Y.Y. Kim</i>	529
Behaviour of footings on reinforced sloped fills <i>A.K. Choudhary &amp; B.P. Verma</i>	535
The capacity of reinforced subsoil loaded by uplifted foundation <i>E. Dembicki &amp; R. Duszynski</i>	541

Practical aspects of the design of deep geotextile coated sand columns for the foundation of a dike on very soft soils <i>M. Geduhn, M. Raithel &amp; H.-G. Kempfert</i>	545
Bearing characteristics of clay reinforced by a sandwiched geogrid-sand system <i>H. Ghiassian &amp; M. Jahannia</i>	549
Multi-layered reinforced granular soil resting on soft soil – tension membrane effect <i>C. Ghosh, K. Yasuhara &amp; M.R. Madhav</i>	553
Prediction of the behaviour of a geogrid reinforced sloped fill under footing load <i>C.T. Gnanendran</i>	559
Performance of geotextile-reinforced shallow foundations used in Bangladesh <i>M.A. Haque, M. Alamgir, M. Salim &amp; M.H. Kabir</i>	565
Effects of tensile and bending rigidities of reinforcement in reinforcing soil structures and ground <i>N. Kotake, F. Tatsuoka, T. Tanaka, M.S.A. Siddiquee &amp; C.C. Huang</i>	571
Collapse loads on reinforced foundation soils <i>R.L. Michalowski &amp; X. Xin</i>	577
Model loading tests on the footing reinforced with prestressed micropiles <i>K. Miura, Y. Tsukada, Y. Otani, M. Ishito &amp; G.-L. You</i>	581
Mechanical properties of soilbags and their applications to earth reinforcement <i>H. Matsuoka, S. Liu &amp; K. Yamaguchi</i>	587
Behavior of reinforced foundation under uplift and push-in loadings – model tests and analyses <i>T. Nakai, T. Teranishi, M. Hinokio &amp; K. Adachi</i>	593
Characteristics of geogrid reinforced cohesive soil and its analytical method <i>E. Ogisako &amp; K. Ryokai</i>	599
Field loading test on the footing reinforced with prestressed micropiles <i>Y. Otani, K. Miura, M. Ishito, G.-L. You &amp; Y. Tsukada</i>	605
Jet grouting application for quay restoration in Tunisia <i>A. Sfar &amp; M. Bouassida</i>	611
Use of technologies based on soil reinforcement when trunk pipeline repair <i>Yu.I. Spector, N.M. Rakhmatullin, V.V. Novoselov &amp; N.F. Shchepin</i>	617
Analysis of two layer soil system beneath rigid footings – a global approach <i>A. Sridharan, B.R. Srinivasa Murthy &amp; P. Vinod</i>	619
Design on limit equilibrium of foundation reinforced with geosynthetics <i>Z. Wang &amp; X.Q. Wang</i>	625
The application of ground reinforcing materials for the pile foundation <i>M. Yamada, N. Iwagami, H. Ochiai, Y. Maeda &amp; Y. Igase</i>	629
Analysis of improved ground with geonet reinforced stone columns <i>Z. Zhou, Q. Zhang &amp; J. Zheng</i>	635
 <i>5 Soil nailings</i>	
Simulation of soil nailing facing walls in finite element analysis <i>S. Bang &amp; W. Nyaz</i>	641
Reinforcing mechanism of anchors in slopes and numerical verification by FEM <i>F. Cai &amp; K. Ugai</i>	647
Nailing a deep excavation in soft soil with jacked in pipe inclusions <i>W.L. Cheang, S.A. Tan, K.Y. Yong &amp; G.R. Dasari</i>	653

Study on reinforcement method for seismic slope stability <i>T. Fukumasa, H. Murakami, R. Nishihara, H. Kimura, M. Yamaura &amp; S. Razavi Darbar</i>	659
Stabilization and surface protection of steep slopes using soil nails and prefabricated concrete part linings <i>A.C. Lottmann, L.E. Wichter &amp; W. Meiniger</i>	663
An example of a high soil nailed wall in plastic clayey soil <i>B. Marić, P. Kvasnička, D. Radaljac &amp; R. Mavar</i>	669
Stabilization of historical retaining walls using soil-nailing methods <i>W. Meiniger, L.E. Wichter, E. Joppa &amp; R. Löer</i>	675
An analytical study to the vertically reinforcing soil slopes <i>M. Moradi &amp; M. Davari</i>	679
Countermeasure against the slope using difference of shearing mechanism on main slip layer <i>M. Mukaitani, M. Hori &amp; N. Kobayashi</i>	685
Optimum design of nailed soil slopes <i>C.R. Patra &amp; P.K. Basudhar</i>	691
Innovative solution for a Kei Cutting problem <i>G.V. Price, A.C.S. Smith &amp; A. Muhajer</i>	697
Numerical analysis of the mechanical behaviour of rigid shallow foundations on geo-reinforced soil strata <i>C. di Prisco, S. Imposimato, P. Rimoldi &amp; M. Vecchiotti</i>	703
Slope stabilization with high-performance steel wire meshes in combination with nails and anchors <i>R. Rügger, D. Flum &amp; B. Haller</i>	707
Behavior of angle cut cylinder excavation by cut reinforced earth work method <i>A. Sato, S. Tayama, K. Ogata, M. Takemoto &amp; U. Tanaka</i>	713
Seismic ductility of cut slope reinforced by soil nail <i>A. Takahashi, J. Izawa, O. Kusakabe, S. Tayama &amp; M. Takemoto</i>	719
The resistance of jacked-in pipe inclusions in soft soil <i>S.A. Tan, W.L. Cheang, K.Y. Yong &amp; G.R. Dasari</i>	725
Case study on engineering behaviors of the Simajiri mudstone for dam construction – slope reinforcement in dam reservoir <i>Y. Uchimura, Y. Otsuka, F. Motida, T. Nakamura, Y. Tamaki &amp; H. Uehara</i>	731
Kinematics and failure of soil-nailed excavation models in dynamic centrifuge tests <i>M. Vucetic, M. Doroudian &amp; J. Kocijan</i>	737
Stabilization of slopes and landslides using soil nailing methods <i>L.E. Wichter &amp; W. Meiniger</i>	743
Stability analysis of reinforced slopes considering progressive failure <i>T. Yamagami, J.-C. Jiang, S. Yamabe &amp; M. Taki</i>	749
Field measurement and numerical analysis of soil nailing on volcanic cohesive soil <i>K. Yamamoto, K. Tabata &amp; R. Kitamura</i>	755
Soil nail design with respect to Hong Kong conditions <i>K.C. Yeo &amp; S.K. Leung</i>	759
<i>Author index</i>	765