


Earth Reinforcement

VOLUME I

**EDITED BY HIDETOSHI OCHAI,
NORIYUKI YASUFUKU & KIYOSHI ÔMINE**



PROCEEDINGS OF THE INTERNATIONAL SYMPOSIUM ON EARTH REINFORCEMENT
FUKUOKA/KYUSHU/JAPAN/12-14 NOVEMBER 1996


Earth Reinforcement

Edited by


HIDETOSHI OCHIAI
NORIYUKI YASUFUKU
KIYOSHI OMINE

Kyushu University, Fukuoka, Japan

VOLUME 1



Under the auspices of the Japanese Geotechnical Society
A.A.BALKEMA/ROTTERDAM/BROOKFIELD/1996



The texts of the various papers in this volume were set individually by typists under the supervision of each of the authors concerned.

Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by A.A.Balkema, Rotterdam, provided that the base fee of US\$1.50 per copy, plus US\$0.10 per page is paid directly to Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, USA. For those organizations that have been granted a photocopy license by CCC, a separate system of payment has been arranged. The fee code for users of the Transactional Reporting Service is: 90 5410 833 9/96 US\$1.50 + US\$0.10.

Published by

A.A.Balkema, P.O. Box 1675, 3000 BR Rotterdam, Netherlands (Fax: +31.10.4135947)

A.A. Balkema Publishers, Old Post Road, Brookfield, VT 05036-9704, USA (Fax: +1.802.2763837)

For the complete set of two volumes, ISBN 90 5410 833 9

For Volume 1, ISBN 90 5410 834 7

For Volume 2, ISBN 90 5410 835 5

© 1996 A.A.Balkema, Rotterdam

Printed in the Netherlands

Table of contents

Preface	XV
Organization	XVII
1 Testing and materials	
Analysis of geotextile-soil interaction in pull-out tests <i>S.Adanur, S.Mallick & H.Zhai</i>	3
Experimental investigation of shearing behavior at cohesive soil-geotextile interfaces <i>G.A.Athanasopoulos</i>	9
The connection strength of masonry block faced retaining walls <i>R.A.Austin & C.Martin</i>	13
The creep behavior of geotextiles under confined and unconfined conditions <i>D.T.T.Chang, C.A.Chen & Y.C.Fu</i>	19
Dynamic reinforcing effect of reinforced sands <i>T.C.Chen, R.H.Chen, Y.S.Lee & J.C.Pan</i>	25
Performance and creep characteristics of synthetic geogrids following hot dry climate <i>M.El-Shabrawy & H.Al-Mudhaf</i>	29
Displacement controlled pullout test of geotextile in granular soil <i>C.Ghosh & A.Bhasin</i>	35
Dilatancy effects of granular soil on the pullout resistance of strip reinforcement <i>S.Hayashi, M.C.Alfarro & K.Watanabe</i>	39
Long term testing of polyester yarn and product at 50°C and 23°C in different environments <i>J.M.Jailloux & P.L.Anderson</i>	45
Use of decomposed granite soils as backfill for reinforced earth structures <i>S.K.Kim & E.S.Lee</i>	51
Elastic considerations of field pull-out tests of polymer strip reinforcement <i>T.Konami, S.Imaizumi & S.Takahashi</i>	57
Improvement of mechanical properties of continuous fiber reinforced sand <i>J.Kuwano, Y.Imamura & T.Imanari</i>	63

A three-parameter model for the ultimate pull-out force of geogrids <i>Y.S.Lee, R.H.Chen & T.C.Chen</i>	69
The study of reinforced soil and modeling test <i>S.Y.Lei, H.Q.Hui & Q.Xue</i>	73
Experimental analysis of friction between sand and reinforcing elements using ring simple shear tests <i>P.Lerat, P.Underreiner & F.Schlosser</i>	77
Pullout tests on geogrids buried in lateritic soils <i>S.S.Lin, M.C.Chen, M.Y.Cheng & S.H.Kuo</i>	83
Pull-out tests for the assessment of soil-geogrids interaction – Influence of some mechanical and physical parameters <i>M.L.Lopes & M.Ladeira</i>	89
Mechanical characteristics of geosynthetic-enveloped soils <i>K.Makiuchi, Y.Kawaguchi & K.Minegishi</i>	95
Bearing mechanism of steel grid reinforcement in pullout test <i>T.Matsui, K.C.San, Y.Nabeshima & U.N.Amin</i>	101
Erosion resistance properties of fiber-reinforced soil <i>H.Miki, S.Mochimaru, K.Mori, T.Kumada & K.Tajima</i>	107
Reinforced soil failure: Analysis at the biaxial compression test <i>J.C.Morel & J.P.Gourc</i>	111
Short and long term behaviour of geogrids under static and cyclic load <i>N.Moraci & F.Montanelli</i>	117
Some factors affecting the results of soil-geogrid direct shear test <i>T.Nakamura, T.Mitachi & I.Ikeura</i>	123
In-soil tensile behaviour of geotextiles confined by fine soils <i>E.M.Palmeira, N.Tupa & R.C.Gomes</i>	129
Effect of normal pressure and width of geosynthetic horizontal drain in pullout behaviour using saturated clay <i>T.B.S.Pradhan, D.R.Shiwakoti & G.Imai</i>	133
Comparative study and measurement of the pull-out capacity of extensible and inextensible reinforcements <i>P.Segrestin & M.Bastick</i>	139
A new experimental device for determining reinforcement mechanisms in soil nails <i>T.C.Sheahan & I.Alvarado</i>	145
Durability of galvanized steel reinforcements as a function of their shape <i>A.Smith, J.M.Jailloux & P.Segrestin</i>	151
Finite element analysis of a reinforced soil <i>K.M.Soni, A.Varadarajan & K.G.Sharma</i>	157

An investigation of the durability of the soil nailing method <i>S.Tayama, Y.Kawai & H.Maeno</i>	161
Strain-controlled pull-out tests on bamboo culm embedded in quarry dust <i>M.T.A Wahab & F.H.Ali</i>	167
Application of screw anchor to side shoring of two foundation pits <i>Z Wang & Z D.Liu</i>	173
2 Embankments	
Chilean experiences with geosynthetics in embankments <i>P.M.Acevedo & C.A.Martínez</i>	179
Effects of reinforcement rigidity on the behavior of reinforced soil wall-embankment system on soft ground <i>M.C.Alfaro, S.Hayashi & N.Miura</i>	185
Limit design of earth reinforcement methods considering displacement field <i>K.Arai & K.Kasahara</i>	191
Dynamic response analysis of geogrid reinforced steep embankment subjected to an earthquake <i>T.Fujii, N.Fukuda & N.Tajiri</i>	197
Creep behavior of laboratory embankment reinforced with geogrid <i>H.Furuya, M.Toriihara & K.Hirama</i>	203
Geogrid reinforced railway embankment on piles – Monitoring <i>E.Gartung & J.Verspohl</i>	209
In situ failure test of high water content soft clay embankments reinforced by GHDs <i>M.Kamon, T.Akai, M.Fukuda & Y.Nanbu</i>	215
Direction and magnitude of reinforcement force in embankments on soft soils <i>S.R.Kaniraj</i>	221
Geosynthetic-reinforced soil retaining wall using clay on a very soft ground for Hokuriku bullet train yard in Nagano <i>K.Kojima, N.Sakamoto, M.Tateyama & O.Maruyama</i>	227
Some factors affecting the structural performance of reinforced fills spanning voids <i>C.R.Lawson, C.J.F.P.Jones & G.T.Kempton</i>	233
Importance of strong motion in the design of earth reinforcement <i>S.P.G.Madabhushi</i>	239
Effect of geogrid stiffness on the resistance behavior of reinforced embankment under loading <i>Y.Miyata, H.Ochiai & K.Kogure</i>	245
Experimental evaluation of reinforcement in geogrid-soil structure <i>H.Ochiai, N.Yasufuku, T.Yamaji, G.L.Xu & T.Hirai</i>	249

Numerical simulation of beam-shaped soil structure reinforced by geosynthetics <i>H.Ohta, S.Goren, A.Iizuka, T.Yamakami, K.Yamagishi & N.Moroto</i>	255
A case history of the construction of a reinforced high embankment on an extra soft ground <i>H.Oikawa, S.Sasaki & N.Fujii</i>	261
Centrifugal and finite element modelling of reinforced embankments on soft clay <i>J.S.Sharma & M.D.Bolton</i>	267
Behavior of reinforced earth embankments on liquefiable sandy ground <i>R.Uzuoka, M.Mihara, F.Oka & A.Yashima</i>	273
A partial factor approach for reinforced fill slope design in Hong Kong <i>H.N.Wong</i>	279
Application of the velocity field method to stability analysis of earth reinforcement <i>J.J.Yang, N.Moroto, H.Ochiai & A.Suzuki</i>	285
Review of design temperature for reinforced fill slopes in Hong Kong <i>K.C.Yeo & P.L.R.Pang</i>	289
3 Wall structures	
The need for standard safety factors in the determination of allowable tensile loads <i>P.Anderson, M.Boyd, P.Segrestin & K.Worrall</i>	297
Mechanism of reinforcement from two field trials <i>R.Arab, P.Villard & J.P.Gourc</i>	303
Use of double wedge equilibrium for reinforced earth structures design <i>M.Bastick & P.Segrestin</i>	309
Construction and performance of an experimental large scale wall reinforced with geosynthetics <i>C.Benigni, G.Bosco, D.Cazzuffi & R.De Col</i>	315
Reinforced earth seawalls at Sydney Airport <i>M.Boyd</i>	321
Prediction of reinforced soil retaining wall deformations: A review of two procedures <i>S.R.Boyle & R.D.Holtz</i>	327
Effects of the transition zone in a nailed wall model test <i>K.T.Chang & G.W.E.Milligan</i>	333
The effect of compaction on model fabric reinforced brick faced earth retaining walls <i>T.W.Cousens & M.I.M.Pinto</i>	339
Reinforced earth walls withstand Northridge Earthquake <i>P.C.Frankenberger, R.A.Bloomfield & P.L.Anderson</i>	345
The influence of the construction method on the behaviour of geosynthetic reinforced walls A numerical study <i>A.S.Cardoso & M.L.Lopes</i>	351

Design of geocells reinforced soil structures through a homogenization method and a finite difference method: Comparison and charts <i>R.Gourvès, P.Reiffsteck & J.F.Vignon</i>	357
Assessment of geogrids for soil reinforcement in Hong Kong <i>J.H.Greenwood & K.C.Yeo</i>	363
Case history study on the application of reinforced earth technology in the loess area of China <i>Z.Y.Guo & D.Z.Luo</i>	369
Infiltration tests on reinforced clay wall and test embankment <i>C.C.Huang & B.N.Huang</i>	373
Stability and deformation of geosynthetic reinforced soil retaining wall <i>M.Hyodo, D.Jamalludin, H.Matsuoka, Y.Nakata, H.Murata, T.Konami & J.Nishimura</i>	379
Design construction and monitoring of reinforced soil wall <i>P.Jagannatha Rao, A.Chattopadhyaya, Bindumadhava & N.Venisri</i>	385
Internal stability analysis and deformation prediction for fabric reinforced earth structure <i>H.T.Kim, E.S.Lee, I.K.Kang & Y.K.Bang</i>	389
The performance of reinforced earth structures in the vicinity of Kobe during the Great Hanshin Earthquake <i>K.Kobayashi, H.Tabata & M.Boyd</i>	395
Classification of reinforced soil structures based on their possible failure mode <i>D.Leśniewska</i>	401
The study of the technique against the sliding of reinforced soil walls on soft subgrade <i>X.Lin</i>	407
The design of a very high reinforced earth retaining wall <i>D.Z.Luo & Z.Y.Guo</i>	411
Towards a limit state design specification for reinforced soil walls <i>J.C-H.Mak & S-C.R.Lo</i>	415
Innovative facing for a 24 meter high Terre Armée wall near Pont de Normandie <i>J.R.Marchal, M.Bastick & F.Belblidia</i>	421
Field performance of a geotextile reinforced soil wall with concrete facing blocks <i>T.Nakajima, N.Toriumi, H.Shintani, H.Miyatake & K.Dobashi</i>	427
FEM comparative analysis of facing rigidity of geotextile-reinforced soil walls <i>A.Nakane, M.Taki, Y.Yokota & H.Miyatake</i>	433
Earthquake resistance of geogrid-reinforced soil walls based on a study conducted following the southern Hyogo earthquake <i>J.Nishimura, T.Hirai, K.Iwasaki, Y.Saitoh, M.Morishima, H.Shintani, S.Yoshikawa & H.Yamamoto</i>	439
Centrifugal model test for a stability of the reinforced retaining wall considering three dimensional shape effect <i>K.Okabayashi, M.Kawamura & Y.Okada</i>	445

Damage performance of steel-reinforced earth structures in the 1995 Hyogoken-Nambu Earthquake <i>Y.Otani, M.Mega & T.Matsui</i>	451
Creep behaviour of model fabric reinforced brick faced earth retaining walls <i>M.I.M.Pinto & T.W.Cousens</i>	457
Cohesive soil retaining walls reinforced with geotextile <i>A.Porbaha & D.Goodings</i>	463
Use of reinforced fill structures in Hong Kong <i>W.K.Pun & K.F.Man</i>	469
Analysis of anchored retaining walls <i>K.Rajagopal & V.Sri Hari</i>	475
Design, construction and performance of a 40 m high reinforced fill wall in Hong Kong <i>M.J.Raybould, D.Hadley & M.Boyd</i>	479
Some insights into reinforced wall behaviour based on finite element analysis <i>R.K.Rowe & S.K.P.Ho</i>	485
Performance of a steel strip reinforced wall <i>S.Sakajo, J.C.Chai, K.Nishikawa & T.Takai</i>	491
Shear-lag analysis of a geosynthetic reinforced soil wall <i>L.C.R.da Silva & M.Abramento</i>	497
Anchored earth breast wall for a site in the sub-Himalayan region <i>R.B.Singh, K.K.Jain, R.K.Agrawal, S.N.Mane & C.P.Gupta</i>	501
Design and construction of the Terratrel Ro-Ro ramp for Second Severn Crossing <i>R.Smith</i>	505
Behaviour of geogrid reinforced earth retaining walls <i>H.R.Sreekanthiah & V.Tito Kishan</i>	511
Design and performance of three reinforced earth tiered walls <i>J.D.Stewart, K.Truong & P.Segrestin</i>	515
Construction of reinforced earth retaining structures on Ratnapura-Wewelwatte road in Sri Lanka <i>I.H.D.Sumanaratne & D.P.Mallawaratchie</i>	521
Full-scale failure experiments of geotextile-reinforced soil walls with different facings <i>N.Tajiri, H.Sasaki, J.Nishimura, Y.Ochiai & K.Dobashi</i>	525
Active earth pressures on walls retaining geogrid-reinforced soil <i>Y.Tsukamoto, K.Ishihara, T.Higuchi & H.Aoki</i>	531
Performance of preloaded and prestressed geosynthetic-reinforced soil <i>T.Uchimura, F.Tatsuoka, T.Sato, M.Tateyama & Y.Tamura</i>	537
Performance of a geosynthetic segmental block wall structure to support bridge abutments <i>G.W.Won, T.Hull & I.De Ambrosis</i>	543

The research about designing method of vertical reinforced slopes <i>X.Q.Yang & Z.D.Liu</i>	549
Development of horizontal earth pressures and behaviour of single and multi segmented walls <i>I.Yogarajah & M.A.Saad</i>	553
A design approach to geosynthetic reinforced slopes for the agriculture saving heat room <i>Y.M.Zhang, Z.R.Wu & Y.X.Liu</i>	559
 4 Foundations	
Reinforced earth in pipeline construction <i>L.A.Babin, Y.I.Spector, N.F.Shchepin & V.P.Kulagin</i>	565
The use of geotextiles to improve the structural stability of fill materials for Bandar Abbas runway construction <i>H.Behbahani</i>	569
Full scale laboratory testing on geosynthetics reinforced paved roads <i>A.Cancelli, F.Montanelli, P.Rimoldi & A.G.Zhao</i>	573
Bearing capacity of strip foundation on geogrid-reinforced clay slope <i>B.M.Das, M.T.Omar, G.Singh & E.C.Shin</i>	579
The influence of dimensional analysis on the interpretation of model loading tests of reinforced ground <i>A.Fakher, C.J.F.P.Jones & N.A.B.Zakaria</i>	585
Effect of bending stiffness of geotextiles on bearing capacity improvement of soft clay <i>K.Hirao, K.Yasuhabara & Y.Tanabashi</i>	591
Behavior of sand replacement with geo-net on reclaimed marine clay <i>H.Imanishi, H.Ochiai, N.Haratake & M.Asakuma</i>	597
Bearing capacity of sand foundation reinforced by geonet <i>J.W.Ju, S.J.Son, J.Y.Kim & I.G.Jung</i>	603
Use of geosynthetics for strengthening road surface and subbase in areas with the mining activity <i>K.Klosek</i>	609
Laboratory testing of reinforced unpaved roads <i>J.Knapton & R.A.Austin</i>	615
Bearing capacity of inclined loaded footing on geotextile reinforced two-layer soil system <i>V.R.Manjunath & D.M.Dewaikar</i>	619
Shaking table tests on floatation of buried pipes in backfilled sand layer reinforced with geotextiles <i>H.Nagase, T.Yanagihata & H.Matsumoto</i>	623
Numerical study on uplift bearing capacity of caisson type pile with reinforcing bars <i>T.Nakai & M.Ueno</i>	629

Settlement and bearing capacity of footings on reinforced sand <i>M.S.Nataraj, P.G.Hoadley & K.L.McManis</i>	635
A study on the reinforcing effects of geogrids overlaid on pile group for the embankment foundations <i>T.Ohkubo, S.Asada & D.Karube</i>	641
Bearing capacity analysis of reinforced ground <i>S.Ohtsuka, E.Yamada & M.Matsuo</i>	647
Experimental study on localized deformation behavior of reinforced foundation ground <i>J.Otani & K.Yamamoto</i>	653
An application of base sheet in a highway embankment: A case study in Thailand <i>V.Poopath</i>	659
Semi-rigid piled-raft system for soft subsiding ground <i>R.Shivashankar, M.R.Madhav, N.Miura, K.Umezaki & Y.Gondoh</i>	665
Settlement of embankment on reinforced granular fill – Soft soil system <i>S.K.Shukla & S.Chandra</i>	671
A finite element approach to the strength of granular soils reinforced with geosynthetics <i>P.Simonini</i>	675
Tensile force distribution along the reinforcement for reinforced soil foundations <i>T.G.Sitharam, B.R.Srinivasa Murthy & H.B.Raghavendra</i>	681
In-site investigation and numerical estimation for bearing capacity improvement of very soft ground reinforced with geotextiles <i>Y.Tanabashi, K.Hirao, K.Yasuhara & H.Itoh</i>	685
Foundation method combining clay-cement mixture with geogrid <i>K.Tanaka, Y.Kato, K.Kasahara, Y.Kadokawa, K.Arai, H.Machihara, K.Funaya & A.Ohtani</i>	691
Localized deformation analysis of reinforced foundation ground <i>K.Yamamoto & J.Otani</i>	697
Evaluation of the bearing capacity improvement of geogrid mattress foundations <i>N.Yasufuku, H.Ochiai, K.Omine, S.Ohno, K.Kawamata & Y.Tsukamoto</i>	703
Design of reinforced foundations by the slip-line method <i>A.G.Zhao, P.Rimoldi & F.Montanelli</i>	709

5 Slopes and excavations

Stability analysis of reinforced soil structures introducing some linear constraint conditions upon the 3-D velocity field <i>A.Asaka, G.Pokharel & T.Ochiai</i>	717
An innovative solution to the stabilisation of the Cairnmuir Landslide incorporating reinforced earth <i>D.Asbey-Palmer, M.Gillon & M.Boyd</i>	723
Deep seated stability of soil nailing walls <i>S.Bang, B.F.Wilkins & C.K.Shen</i>	729

A design method for the 'reticulated pile structure' for the stabilization of slopes and excavations <i>R.Berardi</i>	735
Instrumentation and monitoring of a nailed mine-waste slope <i>E.C.Drumm, C.R.Tant, M.Mauldon & R.M.Berry</i>	741
Parametric numerical analyses of soil nailing systems <i>M.Ehrlich, M.S.S.Almeida & A.M.Lima</i>	747
Earth reinforcement application for hazardous waste containment <i>S.Ghalib, J.P.Seymour & J.C.Volk</i>	753
Comparison of different design concepts in slope stability analysis of geosynthetic reinforced slopes <i>E.Güler, M.Ismek & Y.Görken</i>	759
Ballistic soil nailing <i>T.S.Ingold & B.Myles</i>	765
The effect of bending stiffness of soil nails on wall deformation <i>M.J.Kenny & Y.Kawai</i>	771
A large-scale experimental study of soil-nailed structures <i>J.S.Kim, S.D.Lee, S.R.Lee & C.L.Park</i>	775
In-situ test of reinforced volcanic ash with steel bars and panel facings <i>R.Kitamura, T.Iryo, K.Joumoto, M.Yoshida & T.Ochiai</i>	781
Stability analysis of reinforced slopes based on apparent cohesion method <i>M.Kulczykowski</i>	785
Predicting seismic performance of geogrid-reinforced slopes <i>D.Y.Lin, S.S.Lin & S.H.Kuo</i>	791
A new concept of seismic design of geosynthetic-reinforced soil structures: Permanent-displacement limit <i>H.I.Ling, D.Leshchinsky & E.B.Perry</i>	797
Failure mechanism and effective reinforcement of granular soil slope <i>H.Matsuoka & Y.Sugiyama</i>	803
Instability patterns of reinforced-soil structures <i>R.L.Michalowski</i>	809
Reaction of reinforcing force and restraint effect on soil nailing <i>K.Nishida & T.Nishigata</i>	815
Seismic analysis of nailed soil slopes – A pseudo-dynamic approach <i>N.Sabhat, M.R.Madhav & P.K.Basudhar</i>	821
Repairing the landslide 'Heroldsberg', Germany <i>F.Viel & A.Jenne</i>	825
Dynamic failure of soil-nailed excavations in centrifuge <i>M.Vucetic, V.E.Iskandar, M.Doroudian & L.Luccioni</i>	829

Stability analysis of slope reinforced by roots network <i>R.Yatabe, N.Yagi, K.Yokota, M.Enoki, S.Kobori & M.Mukaitani</i>	835
Insitu test of steel-nailing reinforcement for cut slope with alternating sandstone and mudstone <i>J.M.Zhou, H.Yokota, M.Sezaki, H.Yakabe & H.Minami</i>	841
Instrumentation for centrifuge modeling of geotextile reinforced slopes <i>T.F.Zimmie & M.B.Mahmud</i>	847
Author index	853